

250
250, 250x16


mara

DESCRIPTION / DESCRIZIONE

en 250 is an extremely versatile central base table, designed to ensure maximum stability and durability, even in outdoor environments. Its solid structure, with a metal base and column, makes it ideal for intensive use without compromising on aesthetics. Available in a wide range of finishes and colors, both for the base and the top, it easily adapts to various settings – indoor and outdoor – offering endless customization possibilities. It can be paired with tops up to 1600 mm, meeting both functional and stylistic needs. The top can also be equipped with multifunction sockets for electrical wiring, making it perfect for workspaces or shared environments.


it 250 è un tavolo estremamente versatile, progettato per garantire massima stabilità e resistenza anche in ambienti outdoor. La sua solida struttura, con base e colonna in metallo, lo rende ideale per un utilizzo intensivo, senza rinunciare all'estetica. Disponibile in un'ampia gamma di finiture e colori, sia per la base che per il piano, si adatta con facilità a diversi contesti – indoor e outdoor – offrendo infinite possibilità di personalizzazione. Può essere abbinato a ripiani fino a 1600 mm, per soddisfare esigenze funzionali e stilistiche sempre diverse. Il piano può essere accessorizzato con prese multifunzione per il cablaggio elettrico, rispondendo così alle esigenze di ambienti di lavoro o spazi condivisi.

250
Central base table
Tavolo base centrale
250



top
Ø 800 - 1200 mm
800 - 1200 x 800 - 1200 mm

250x16
Central base table
Tavolo base centrale
250x16



top
Ø 1200 - 1600 mm
1200 - 1400 x 1200 - 1400 mm



outdoor version
versione outdoor



**version with FSC®
certified top**
versione con piano
certificato FSC®



**250
40 kg**

without top
senza piano



**250x16
60 kg**

without top
senza piano

ACCESSORIES / ACCESSORI



foot levelers
piedini livellatori

ACCESSORIES / ACCESSORI

PASD60



**multifunctional sockets
Ø 60 mm**
prese multifunzione
Ø 60 mm
only for (250x16)

PASD80



**multifunctional sockets
with wireless charging
Ø 80 mm**
prese multifunzione con
ricarica wireless Ø 80 mm
only for (250x16)

250
250, 250x16

mara

FRAME / STRUTTURA

powder coated steel
acciaio verniciato



296 *
textured
raggrinzato
RAL 9010



819 *
textured
raggrinzato
RAL 8019



420 *
textured
raggrinzato



333 *
textured
raggrinzato
RAL 3003



111 *
textured
raggrinzato
RAL 5011



203 *
textured
raggrinzato
RAL 6003



700 *
textured
raggrinzato
RAL 7000



444 *
textured
raggrinzato
RAL 8004



301 *
textured
raggrinzato
RAL 7044



131
textured
raggrinzato
RAL 9006



148 *
textured
raggrinzato
RAL 7016



120 *
textured
raggrinzato
RAL 9005

* available for outdoor version
* disponibile per versione outdoor



TOP / PIANO

standard FENIX tops
piani standard in FENIX



0754
Blu
Fes



0791
Giallo
Evora



0751
Rosso
Jaipur



0750
Verde
Comodoro



0032
Bianco
Kos



0720
Nero
Ingo

STANDARDS AND CERTIFICATES / NORME E CERTIFICATI
Resistance to scratching EN 438-2:2019 - CL.25 Class ≥ 4 •
Resistance to staining EN 438-2:2019 - CL.26 Group 1 e 2: Class 5 Group 3: Class ≥ 4 • Resistance to dry heat (160°C/20') - EN 438-2:2019 - CL.16 Class 5 • Lightfastness (xenon arc) EN 438-2:2019 - CL.27 Grayscale classification ≥ 4 • Resistance to steam

EN 438-2:2019 - CL.14 Class 5 • Specular surface reflection ISO 2813 8 ÷ 16 a 85° Unità Gloss • Resistance to surface wear EN 438-2:2019 - CL.10 Rotation value IP ≥ 200 • Resistance to damp heat (100°C/20') - EN 438-2:2019 - CL.18 Class 5

TOP / PIANO

standard colour and material effect laminate tops

piani standard in laminato colore ed effetto materico



STANDARDS AND CERTIFICATES / NORME E CERTIFICATI

Dimensional tolerance related to the thickness $\pm 0,3$ mm • Dimensional tolerance related to the sizes $\pm 5,0$ mm • Resistance to scratching EN 438-2:2016 Class 3 • Resistance to staining EN 438-2:2016 Group 1 e 2: Class ≥ 4 Group 3: Class ≥ 4 • Resistance to dry heat (160°C/20') - EN 438-2 Class 4 • Lightfastness (xenon arc) EN 438-2 Grayscale classification ≥ 4

• Resistance to steam EN 438-2 Class 4 • Resistance to surface wear EN 438-2 Rotation value IP ≥ 150 • Resistance to damp heat (100°C/20') - EN 438-2 Class 4

standard colour, material effect, soft touch and whiteboard melamine tops

piani standard in nobilitato colore, effetto materico, soft touch e whiteboard



STANDARDS AND CERTIFICATES / NORME E CERTIFICATI

Dimensional tolerance related to the sizes $\pm 5,0$ mm • Resistance to scratching 1,5 N • Resistance to cigarette burning 3 grade - moderate change in gloss level and/or moderate brown spots • Resistance to surface wear Rotation value IP < 50 Rotation value WR < 150 • Risk of breakage ≥ 3 group • Dimensional tolerance related to the thickness $15 \leq X \leq 20$ mm : $\pm 0,3$ mm $X < 20$ mm : $\pm 0,5$ mm • Resistance to staining ≥ 3 group

• Resistance to steam 4 grade - moderate change in gloss level and/or color • Surface imperfections Prolate imperfections: < 20 mm/m Punctiform imperfections: < 2 mm²/m² • Lightfastness (xenon arc) > 6 group

250
250, 250x16

mara

TOP / PIANO

standard hpl top for outdoor use (black edge)
piani standard in hpl per uso outdoor (bordo nero)



white
bianco



light grey
grigio
chiaro



anthracite
antracite



black
nero

CLEANING AND MAINTENANCE / PULIZIA E MANUTENZIONE

STEEL / ACCIAIO

en Our types of metals include: chromed metals and painted metals. Do not use acid or alkaline based cleaning products. Do not use detergents, steel wool, dishwashing detergents or the like. Sharp or pointed objects may damage the surface. Any hot or wet object may cause surface damage. Clean the surface regularly with a soft cloth to remove dust. To remove light dirt, use a soft cloth and a neutral household cleaner.

it Le nostre tipologie di metallo comprendono: metalli cromati e metalli verniciati. Non utilizzare prodotti per la pulizia a base acida o alcalina. Non utilizzare detergenti, lana di acciaio, detersivi per stoviglie o simili. Oggetti appuntiti o taglienti possono danneggiare la superficie. Qualsiasi oggetto caldo o bagnato potrebbe provocare danni alla superficie. Pulire la superficie regolarmente con un panno soffice per rimuovere la polvere. Per rimuovere lo sporco leggero utilizzare un panno soffice e un prodotto per le pulizie di casa neutro.

LAMINATE AND MELAMINE / LAMINATI E NOBILITATI

en Laminates and melamine products guarantee high performance in terms of resistance to scratches, shocks and abrasions. Keep furniture away from direct sunlight; furniture in direct sunlight may tend to discolour over time. Do not use acid or alkaline based cleaning products. Sharp or pointed objects can damage the surface. Laminate and melamine furniture can be cleaned using a mixture of liquid soap and hot water. Rinse with cold water and dry with a paper towel or damp cloth.

it Laminati e nobilitati garantiscono alte prestazioni di resistenza ai graffi, agli urti e alle abrasioni. Mantenere i mobili lontani dalla luce diretta del sole; i mobili che si trovano alla luce diretta del sole potrebbero tendere a scolorire nel tempo. Non utilizzare prodotti per la pulizia a base acida o alcalina. Oggetti appuntiti o taglienti possono danneggiare la superficie. E' possibile effettuare la pulizia dei mobili in laminato e nobilitato usando una miscela di sapone liquido e acqua calda. Sciacquare con acqua fredda e asciugare con un tovagliolo di carta o un panno umido.

STANDARD FENIX TOPS / PIANI STANDARD IN FENIX

en Cleaning FENIX means cleaning its structure. You can do this with warm water. As FENIX is a strong material, you can also use any household cleaner – even solvents like acetone * if needed. However, to avoid damaging the structure, don't scrub it with abrasive cream, a scouring pad or a hard brush; in the long-term, this might lead to a glossy spot on your matt surface. Instead, you can use a melamine sponge – also known as a magic sponge. As a final step, to avoid anything staying behind in the structure – whether that's dirt or residue from your cleaner – always rinse afterward with warm water and wipe dry with a clean cloth.

* always follow safety instructions

it Pulire FENIX significa pulirne la struttura. Si può farlo, usando acqua tiepida. Poiché FENIX è un materiale resistente, si può utilizzare qualsiasi detergente per la casa, se necessario anche un solvente come l'acetone *. Tuttavia, per evitare di danneggiare la struttura, è consigliabile evitare di strofinarla usando una crema abrasiva, una spugna abrasiva o una spazzola con setole dure; nel tempo, ciò potrebbe portare alla formazione di un'area lucida sulla superficie opaca. Si può piuttosto utilizzare una spugna in melamina, nota anche come spugna magica. Come ultimo passaggio, per evitare la formazione di depositi nella struttura, che si tratti di sporco o residui del detergente, risciacquare sempre con acqua tiepida e asciugare con un panno pulito.

* seguire sempre le istruzioni di sicurezza.

en As it is always seeking to improve its products, the company reserves the right to modify or upgrade the products without prior notice, at any time. Colors should be considered purely indicative. Mara's Collections are worldwide protected by the industrial property right and patents.

it Mara, sempre alla ricerca del miglioramento dei propri prodotti, si riserva la facoltà di apportare modifiche costruttive e funzionali in qualsiasi momento senza alcun preavviso. I colori dei materiali sono da ritenersi puramente indicativi. Tutte le collezioni Mara sono protette nel mondo dal diritto di proprietà industriale e da brevetti registrati.